

Инструкция по подключению WI-FI модуля HDN/WFN через кабель соединительный НСС-GR





Таблица совместимости моделей


 Electrolux	Heat-Pump Viking Inverter 2.0	EACS/I-09HVI/N8_21Y/in EACS/I-12HVI/N8_21Y/in	EACS/I-18HVI/N8_21Y/in EACS/I-24HVI/N8_21Y/in
	Avalanche Inverter	EACS/I-09HAV/N8_22Y/in EACS/I-12HAV/N8_22Y/in	EACS/I-18HAV/N8_22Y/in EACS/I-24HAV/N8_22Y/in
	Monaco Inverter	EACS/I-07HM/N3_15Y/in EACS/I-09HM/N3_15Y/in EACS/I-12HM/N3_15Y/in	EACS/I-18HM/N3_15Y/in EACS/I-24HM/N3_15Y/in
	Portofino Inverter	EACS/I-09HP/N8_23Y/in EACS/I-12HP/N8_23Y/in	EACS/I-18HP/N8_23Y/in EACS/I-24HP/N8_23Y/in
	Fusion Ultra DC Inverter	EACS/I-07HF/N8_22Y/in EACS/I-09HF/N8_22Y/in EACS/I-12HF/N8_22Y/in	EACS/I-18HF/N8_22Y/in EACS/I-24HF/N8_22Y/in
	AirGate 2 Milk Super DC Inverter	EACS/I-09HG-MILK2/N8/in EACS/I-12HG-MILK2/N8/in	EACS/I-18HG-MILK2/N8/in EACS/I-24HG-MILK2/N8/in
	AirGate 2 Black Super DC Inverter	EACS/I-09HG-BLACK2/N8/in EACS/I-12HG-BLACK2/N8/in	EACS/I-18HG-BLACK2/N8/in EACS/I-24HG-BLACK2/N8/in
Ballu	Greenland DC Inverter	BSGRI/in-07HN8_22Y BSGRI/in-09HN8_22Y BSGRI/in-12HN8_22Y	BSGRI/in-18HN8_22Y BSGRI/in-24HN8_22Y




**Внимание! Перед установкой управляющего модуля
отключите кондиционер от сети электропитания!**





Поднимите переднюю панель внутреннего блока вверх




Открутите крепежный винт и снимите защитную крышку клеммной колодки




Открутите крепежный винт, снимите пластиковую клипсу и найдите провод с надписью Wi-Fi



Снимите с клеммы провода Wi-Fi защитную крышку




Подключите соединительный кабель к проводу Wi-Fi из внутреннего блока



**В USB разъем соединительного кабеля вставьте
управляющий модуль НОММУН**



Соберите корпус внутреннего блока в обратном порядке и разместите управляющий модуль в пространстве под передней панелью



**Закройте переднюю панель внутреннего блока.
Установка завершена.**

